

BIBLIOGRAPHY

- [1] BEUTELSPACHER A., and A. DELANDTSHEER : A common characterization of finite projective spaces and affine planes, *Europ. J. Combinatorics* 2 (1981), 213-219.
- [2] BIGGS, N. : Algebraic graph theory, Cambridge University Press, Cambridge 1974.
- [3] BIRKHOFF, G. : Lattice theory (3rd ed.), Amer. Math. Soc. Colloq. Publ., Providence, 1967.
- [4] BOSE, R.C. : Strongly regular graphs, partial geometries and partially balanced designs, *Pacific J. Math.* 13 (1963), 389-419.
- [5] BOSE, R.C. : Geometric and pseudo-geometric graphs $(q^2+1, q+1, 1)$, *J. Geometry* 2 (1972), 75-93.
- [6] BOSE, R.C. and T. SHIMAMOTO : Classification and analysis of partially balanced incomplete block design with two associate classes, *J. Amer. Statist. Assoc.* 47 (1952), 151-184
- [7] BROUWER, A.E. : On the nonexistence of certain planar spaces, *Mathematisch Centrum Amsterdam*, 1978.
- [8] BROUWER, A.E. and H.A. WILBRINK : The structure of near polygons with quads, *Geometriae Dedicata* 14 (1983), 145-176.
- [9] BUEKENHOUT, F. : Une caractérisation des espaces affins basée sur la notion de droite, *Math. Z.* 111 (1969), 367-371.
- [10] BUEKENHOUT, F. : La géométrie des groupes de Fischer, mimeographed notes, Université Libre de Bruxelles, 1972.
- [11] BUEKENHOUT, F. : Diagrams for geometries and groups, *J. Combinatorial Theory Ser.A* 27 (1979), 121-151.
- [12] BUEKENHOUT, F. et R. DEHERDER : Espaces linéaires finis à plans isomorphes, *Bull. Soc. Math. Belg.* 23 (1971), 348-359.
- [13] CAMERON, P.J. : Extending symmetric designs, *J. Combinatorial Theory Ser.A* 14 (1973), 215-220.
- [14] CAMERON, P.J. : Locally symmetric designs, *Geometriae Dedicata* 3 (1974), 65-76.
- [15] CAMERON, J.P. : Extremal results and configuration theorems for Steiner systems, *Ann. Discrete Math.* 7 (1980), 43-63.
- [16] CAMERON, J.P., GOETHALS J.M. and J.J. SEIDEL : Strongly regular graphs having strongly regular subconstituents, *J. Algebra* 55 (1978), 257-280.

- [17] CONNOR, W.S. and W.H. CLATWORTHY : Some theorems for partially balanced designs, *Ann. Math. Statist.* 25 (1954), 100-112.
- [18] de BRUIJN N.G. and P. ERDÖS : On a combinatorial problem, *Indag. Math.* 10 (1948), 421-423.
- [19] DELANDTSHEER, A. : Finite planar spaces with isomorphic planes, *Discrete Math.* 42 (1982), 161-176.
- [20] DELANDTSHEER, A. : Finite linear spaces with a regularity condition on the transversals of two secant lines, *Europ. J. Combinatorics* 3 (1982), 119-124.
- [21] DELANDTSHEER, A. : Some finite rank 3 diagram geometries with two isomorphic linear residues, *Archiv der Mathematik* 41 (1983), 475-477.
- [22] DELANDTSHEER, A. : The rigidity of the smallest unknown Π -space, *Discrete Math.* 47 (1983), 203-210.
- [23] DELANDTSHEER, A. : A characterization of certain 3-dimensional affino-projective spaces, *J. Combinatorial Theory Ser. A.* 38/1 (1985), 58-65.
- [24] DELANDTSHEER, A. : A classification of finite 2-fold Bolyai-Lobachevsky spaces, *Geometriae Dedicata* 14 (1983), 375-393.
- [25] DELANDTSHEER, A. : Finite planar spaces in which the secants of a plane intersect every disjoint plane, *J. London Math. Society* 2, 30(1984), 136-150.
- [26] DELANDTSHEER, A. : Metrical regularity in the incidence graph of finite linear spaces, *Discrete Math.* 52(1984), 133-141.
- [27] DELANDTSHEER, A. : Finite semi-affine planes and generalized projective spaces, *Journal of Geometry* 23 (1984), 94-100
- [28] DELSARTE, P. : An algebraic approach to the association schemes of coding theory, *Philips Res. Repts. Suppl.* 10 (1973).
- [29] DELSARTE, P., GOETHALS, J-M. and J.J. SEIDEL : Bounds for systems of lines and Jacobi polynomials, *Philips Res. Repts.* 30 (1975), 91-105.
- [30] DEMBOWSKI, P. : *Semiaffine Ebenen*, *Arch. Math.* 13 (1962), 120-131.
- [31] DEMBOWSKI, P. : *Finite Geometries*, Springer, Berlin-Heidelberg-New York, 1968.
- [32] DOYEN, J. and X. HUBAUT : Finite regular locally projective spaces, *Math. Z.* 119 (1971), 83-88.
- [33] FEIT, W. and G. HIGMAN : The nonexistence of certain generalized polygons, *J. Algebra* 1 (1964), 114-131.
- [34] FISCHER, B. : *Finite groups generated by 3-transpositions*, Mathematics Institute, University of Warwick, Coventry, 1979.
- [35] FISCHER, B. : Finite groups generated by 3-transpositions I, *Invent. Math.* 13 (1971), 232-246.

- [36] HALL, M. Jr. : Automorphisms of Steiner triple systems, IBM J. Res. Develop. 4 (1960), 460-472.
- [37] HALL, M. Jr : Combinatorial Theory, Blaisdell, Waltham, Mass., 1967.
- [38] HANANI, H. : On the numbers of lines and planes determined by d points, Technion Israel Inst. Tech. Sci. Publ. 6 (1954/5), 58-63.
- [39] HIGMAN, D.G. : Invariant relations, coherent configurations and generalized polygons, "Combinatorics" (ed. M. Hall Jr. and J.H. van Lint), 347-363, D. Reidel, Dordrecht, 1975.
- [40] JONES, B.W. : The arithmetic theory of quadratic forms, Carus Math. Monograph No.10, Math. Association of America, 1950.
- [47] KANTOR, W.M. : Characterizations of finite projective and affine spaces, Canad. J. Math. 21 (1968), 64-75.
- [42] LEONARD, D. : Finite π -spaces, Geometriae Dedicata 12 (1982), 215-218.
- [43] LIBOIS, P. : Quelques espaces linéaires, Bull. Soc. Math. Belg. XVI (1962), 381-388.
- [44] MATHON, R. : 3-class association schemes, Proceedings of the Conference on Algebraic Aspects of Combinatorics (Univ. Toronto, Toronto, Ont., 1975), 123-155. Congressus Numerantium, No.XIII, Utilitas Math., Winnipeg, Man., 1975.
- [45] MEREDITH, G.H.J. : Triple transitive graphs, J. London Math. Soc. (2), 13 (1976), 249-257.
- [46] NEUMAIER, A. : Strongly regular graphs with smallest eigenvalue $-m$, Arch. Math. 33 (1979), 392-400.
- [47] NEUMAIER, A. : New inequalities for the parameters of an association scheme, Combinatorics and Graph Theory, Springer Lecture Notes 885 (1981), 365-367.
- [48] PAYNE, S.E. and J.A. THAS : Classical finite generalized quadrangles : a combinatorial study, Ars Combinatoria 2 (1976), 57-110.
- [49] RAY-CHAUDHURI, D.K. and R.M. WILSON : On t -designs, Osaka J. Math. 12 (1975), 737-744.
- [50] RONAN, M.A. : A combinatorial characterization of the dual Moufang hexagons, Geometriae Dedicata 11 (1981), 61-67.
- [51] ROOS, C. : An alternative proof of the Feit-Higman theorem on generalized polygons, Delft Progress Report 5 (1980), 67-77.
- [52] SPRAGUE, A. : Rank 3 incidence structures admitting dual-linear, linear diagram, J. Combinatorial Theory, Ser.A 38 (1985), 254-259.

- [53] TEIRLINCK, L. : Combinatorial structures, Thesis, Vrije Universiteit Brussel, 1976.
- [54] THAS, J.A. : A remark on the theorem of Yanushka and Ronan characterizing the "generalized hexagon" $H(q)$ arising from the group $G_2(q)$, J. Combinatorial Theory Ser.A, Vol.29, No.3 (1980), 361-362.
- [55] TITS, J. : Sur la trialité et certains groupes qui s'en déduisent, Publ. Math. I.H.E.S., 2 (1959), appendice, 82-84.
- [56] WELSH, D.J.A. : Matroid Theory, Academic Press, London, New-York, San Francisco, 1976.
- [57] WILSON, R.M. : Parameters triples (v,k,λ) for symmetric designs, unpublished table.
- [58] YANUSHKA, A. : On order in generalized polygons, Geometriae Dedicata 10 (1981), 451-458.